



Section view A-A

MASS: 16 Kg  
MASSE:

| QUANT.  | DESCRIPTION  | POS          | MAT.             | OBSERVATIONS          | REF. GERN  |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
|---|--|--------------|------------------|-----------------------|------------|------------------|-----------------|--------------|--|---------|------------|----------|-----------|--------------|------------|---------|------------|----------|---------|------------|----------|---|---|---|--|--|------------------|------|------|-------------|---|--|
| 12  | NUT - ISO 4032 - M8  | 10           | A4 - 70          |                       | 47.43.77   |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
|   | ECROU - ISO 4032 - M8  |              | Ac. INOX         |                       | 080.3      |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| 4   | THREADED ROD M8  | 9            | Cr N1 18-12 Mo   | LENGHT 110 mm         | 47.38.77   |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
|   | TIGE FILETEE M8  |              | Ac. INOX A4-70   |                       | 080.0      |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| 3   | SOCKET HEAD SCREW M4 x 12                                      | 8            | ST. STEEL A4-70  |                       | 47.62.71   |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
|   | VIS CHC M4 x 12  |              | INOX A4-70       |                       | 155.7      |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| 8   | SOCKET HEAD SCREW M3 x 6                                       | 7            | ST. STEEL A4-70  |                       | 47.62.71   |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
|   | VIS CHC M3 x 6   |              | INOX A4-70       |                       | 102.0      |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| 1   | RF CONTACT SS-11   | 6            | Cu-Be            | FEUERHERDT            |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
|   | CONTACT RF SS-11   |              |                  |                       |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| 1   | TRACTION SPRING 0.4 WIRE Ø 2 EXT                               | 5            | St. STEEL 1.4310 | KJUBO-TECH LENGHT 262 |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
|   | RESSORT TRACTION FIL 0.4 Ø 2 EXT                               |              | Ac. INOX 1.4310  |                       |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| 1   | SEPTUM PUMPING MODULE - TUBE + RF FINGERS                      | 4            |                  | LHCVMSIP0010          |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
|   | MODULE DE POMPAGE SEPTUM - TUBE + DOIGTS RF                    |              |                  |                       |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| 1   | PUMPING MODULE DOWNSTREAM INOX - INLET FLANGE WASK             | 3            |                  | LHCVMSDU0005          |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
|   | -  |              |                  |                       |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| 1   | PUMPING MODULE DOWNSTREAM INOX - INLET FLANGE WASK-TUBE OFFSET | 2            |                  | LHCVMSDU0002          |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
|   | -  |              |                  |                       |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| 1   | SEPTUM PUMPING MODULE - ASSEMBLY BODY INSI                     | 1            |                  | LHCVMSIP0005          |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
|   | MODULE DE POMPAGE SEPTUM - ASSEMBLAGE CORPS INSI               |              |                  |                       |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| <table border="1"> <thead> <tr> <th>ENS / ASS</th> <th>S. ENS / S. ASS</th> <th>LHCVMSDU0006</th> </tr> </thead> <tbody> <tr> <td colspan="3"> <table border="1"> <thead> <tr> <th>DES/DRA.</th> <th>J LACROIX</th> <th>2007-06-08</th> </tr> </thead> <tbody> <tr> <td>CONTROLLED</td> <td>R LEUNE</td> <td>2007-06-14</td> </tr> <tr> <td>RELEASED</td> <td>A ROSSI</td> <td>2007-06-18</td> </tr> <tr> <td>APPROVED</td> <td>-</td> <td>-</td> </tr> </tbody> </table> </td> </tr> <tr> <td colspan="3"> <table border="1"> <thead> <tr> <th>REPLACE/REPLACES</th> <th>SIZE</th> <th>IND.</th> </tr> </thead> <tbody> <tr> <td>LHCVMSDU001</td> <td>1</td> <td></td> </tr> </tbody> </table> </td> </tr> </tbody> </table> |  |              |                  |                       |            | ENS / ASS        | S. ENS / S. ASS | LHCVMSDU0006 | <table border="1"> <thead> <tr> <th>DES/DRA.</th> <th>J LACROIX</th> <th>2007-06-08</th> </tr> </thead> <tbody> <tr> <td>CONTROLLED</td> <td>R LEUNE</td> <td>2007-06-14</td> </tr> <tr> <td>RELEASED</td> <td>A ROSSI</td> <td>2007-06-18</td> </tr> <tr> <td>APPROVED</td> <td>-</td> <td>-</td> </tr> </tbody> </table> |         |            | DES/DRA. | J LACROIX | 2007-06-08   | CONTROLLED | R LEUNE | 2007-06-14 | RELEASED | A ROSSI | 2007-06-18 | APPROVED | - | - | <table border="1"> <thead> <tr> <th>REPLACE/REPLACES</th> <th>SIZE</th> <th>IND.</th> </tr> </thead> <tbody> <tr> <td>LHCVMSDU001</td> <td>1</td> <td></td> </tr> </tbody> </table> |  |  | REPLACE/REPLACES | SIZE | IND. | LHCVMSDU001 | 1 |  |
| ENS / ASS   | S. ENS / S. ASS  | LHCVMSDU0006 |                  |                       |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| <table border="1"> <thead> <tr> <th>DES/DRA.</th> <th>J LACROIX</th> <th>2007-06-08</th> </tr> </thead> <tbody> <tr> <td>CONTROLLED</td> <td>R LEUNE</td> <td>2007-06-14</td> </tr> <tr> <td>RELEASED</td> <td>A ROSSI</td> <td>2007-06-18</td> </tr> <tr> <td>APPROVED</td> <td>-</td> <td>-</td> </tr> </tbody> </table>  |  |              | DES/DRA.         | J LACROIX             | 2007-06-08 | CONTROLLED       | R LEUNE         | 2007-06-14   | RELEASED   | A ROSSI | 2007-06-18 | APPROVED | -         | -            |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| DES/DRA.  | J LACROIX  | 2007-06-08   |                  |                       |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| CONTROLLED  | R LEUNE  | 2007-06-14   |                  |                       |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| RELEASED  | A ROSSI  | 2007-06-18   |                  |                       |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| APPROVED  | -  | -            |                  |                       |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| <table border="1"> <thead> <tr> <th>REPLACE/REPLACES</th> <th>SIZE</th> <th>IND.</th> </tr> </thead> <tbody> <tr> <td>LHCVMSDU001</td> <td>1</td> <td></td> </tr> </tbody> </table>   |  |              | REPLACE/REPLACES | SIZE                  | IND.       | LHCVMSDU001      | 1               |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| REPLACE/REPLACES  | SIZE   | IND.         |                  |                       |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| LHCVMSDU001   | 1  |              |                  |                       |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| <table border="1"> <thead> <tr> <th>PROJECT ENGINEER</th> <th>FOR EXECUTION</th> <th>DATE</th> <th>SIZE</th> <th>IND.</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td>LHCVMSDU0001</td> <td>1</td> </tr> </tbody> </table>   |  |              |                  |                       |            | PROJECT ENGINEER | FOR EXECUTION   | DATE         | SIZE   | IND.    |            |          |           | LHCVMSDU0001 | 1          |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
| PROJECT ENGINEER  | FOR EXECUTION  | DATE         | SIZE             | IND.                  |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |
|   |  |              | LHCVMSDU0001     | 1                     |            |                  |                 |              |  |         |            |          |           |              |            |         |            |          |         |            |          |   |   |   |  |  |                  |      |      |             |   |  |

ORGANISATION RESPONSABLE POUR  
 LA REVISION INDICATE REVISION  
 EUROPEAN STANDARD EN 10000  
 DRAWINGS, DIMENSIONS, TOLERANCES  
 ACCORDING TO ISO STANDARDS  
 DESIGN, DIMENSIONS, TOLERANCES  
 ACCORDING TO ISO STANDARDS  
 DRAWINGS, DIMENSIONS, TOLERANCES  
 ACCORDING TO ISO STANDARDS